


# ATLANTIC

PROFESSIONAL LINE SPOOLS & BUOY HOOKS



# ATLANTIC



## PROFESSIONAL LINE SPOOLS

Hand made by the best Finnish professionals using the best materials  
The **ATLANTIC** products are made using the highest quality requirements

### ATLANTIC spools highlights

- Hand made stainless steel (acid-proof stainless steel available)
- Spool attachment to a 23-28 mm diameter railing or flat vertical surfaces
- Spools are equipped with an adjustable friction brake

### CONVENTIONAL LINE SPOOLS

- sizes; 50m length and line diameter of 14 mm, 16 mm or 20 mm. (Line not included)

Tensile strengths for various line diameters (Polyester lines):

- spool for 14 mm: 3,2 tons
- spool for 16 mm: 4,5 tons
- spool for 20 mm: 7 tons

### FLAT LINE SPOOLS

- Spools are delivered with lines
- 25 - 150 meter lines available
- Tensile strengths of 2000kg, 4000kg, 6000kg and 8000kg are served
- Strap material polyester and widths 25 mm, 35 mm, 50 mm and 65 mm.
- The line guide angle for the flat line spool is adjustable for 5 positions.

### Tensile strength and Flat line lengths possible (Polyester lines)

- 2 tons: 25m & 50m
- 4 tons : 30 m, 50m & 70m
- 6 tons: 30m, 50m, 70m, 100m\* 150m\*
- 8 tons: 100m\*, 150\*

\*Special sizes manufactured on order

### ORDERS & DELIVERIES

During the European main season (march-august) flat and conventional line spools available from stock.  
Special sizes by separate order. Winter season deliveries (september-march) on order or stocking to be agreed on separately.

Door to door deliveries arranged by the most efficient logistics available. With todays efficient logistics, we could be next to door to you!!

# ATLANTIC



## PROFESSIONAL BUOY HOOKS

Hand made by the best Finnish professionals using the best materials  
The **ATLANTIC** products are made using the highest quality requirements

### ATLANTIC Buoy Hooks highlights

- Handy pistol-format handle allowing easy operation
- Rope guide ring for the rope. The Hook stays on the mooring line and is very easy to access at departure.
- The tube is from stainless steel, the hook from special quality acid-resistant steel
- The Rope is attached to the separated area at the back of the hook thus leaving the forces on the strong hook



### TENSILE STRENGTHS AND LENGTHS

- 2500 kg and 5000 kg tensile strength models
- Lengths 90cm, 120cm, 140cm and 200cm

Stocked versions:

- 90 cm            2500 kg
- 120 cm        2500 kg and 5000kg
- 140cm        2500 kg

### ORDERS & DELIVERIES

During the European main season (march-august) flat and conventional line spools available from stock.  
Special sizes by separate order. Winter season deliveries (september-march) on order or stocking to be agreed on separately. On order deliveries

Door to door deliveries arranged by the most efficient logistics available. With today's efficient logistics, we could be next to door to you!!